



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/649,672	08/28/2003	Koji Okada	100698-00014	5676

7590 03/22/2005

ARENT FOX KINTNER PLOTKIN & KAHN, PLLC
Suite 400
1050 Connecticut Avenue, N.W.
Washington, DC 20036-5339

EXAMINER

SHINGLETON, MICHAEL B

ART UNIT PAPER NUMBER

2817

DATE MAILED: 03/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/649,672

Applicant(s)

OKADA, KOJI

Examiner

Michael B. Shingleton

Art Unit

2817

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 6/04 and as filed.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

DETAILED ACTION

Claim Objections

Claims 6, 9 and 12 are objected to because of the following informalities: Claim 6 recites "a first circuit generating a plurality of current signals by changing the current signals" which is taken to mean in light of the specification that a plurality of current signals are generated for it does not appear that the current signals are generated by changing themselves. Claim 9 recites "the second current signal" without there being proper antecedent basis for such term. Clearly applicant meant "a second current signal". Claim 12 recites "the second current controlled oscillator" without there being proper antecedent basis for such term. Clearly applicant meant "a second current controlled oscillator". Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3-11, and 19-21 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Sha et al. 6,404,294 (Sha).

Figures 7, 12 and 16, and the relevant text of Sha discloses a pll spread spectrum clock generator and method (See column 6, lines 15-25) having a phase comparator 202 that compares the reference clock signal (Sometimes referred to by applicant as a "standard clock signal".) to clock signal that is feedback (Sometimes referred to by applicant as an "operating clock signal".). Element 100 is a voltage controlled oscillator i.e. VCO that generates the signal that fed back to the phase comparator. The VCO of Sha has a V to I converter 112 that does the conversion of a voltage to a current. Element 110 is part of a variable current circuit that provides a fluctuating current signal "ILOAD". Note that the division ratio is changed to spread the spectrum this in turn causes the voltage input to the VCO to vary and since the control signal 104 that causes the current to vary is varied and this will cause a different current at the output of the V to I converter and thus these changes will cause a change in the voltage at the input of the VCO which will result in a further change in these current signals as well as the final output frequency because

of the feedback path. This forms part of the first circuit that generates a plurality of current signals by changing the current signals. This also forms part of variable current circuit and the circuitry 210 of Sha forms part of the control circuit that controls the variable current circuit. The internal circuitry to the divider determines the range of change of frequency of the clock for divider has a finite range of division. As recognized by Sha in column 4, around line 19 the signal output from the VCO is dependent at least in part on the changing current signals ILOAD. Thus the VCO like that of applicant also has a current controlled oscillator component. Note that the internal circuitry of the VCO of Sha forms the "second and third" circuits of claims like claim 9 for a plurality of current signals are generated, i.e. at least first and second current signals are generated. When the first current signal ILOAD is generated this as noted above causes a first clock signal or "operating clock signal" to be generated based on this signal. When the second current signal ILOAD is generated this as noted above causes a second clock signal or "operating clock signal" to be generated based on this signal. Note that the charge pump 204 clearly supplies an output signal based on the comparison made by the phase comparator in Sha. The VCO of Sha also is responsive to this charge pump as is clearly illustrated by Sha. Note that element 110' also forms a current D/A converter in that the digital signal is converted into an analog current signal ILOAD and is part of the variable current circuit. With respect to claims like claims 9, The phase comparator clearly outputs a result based upon the standard clock signal and the comparison clock (feedback) signal. The charge pump 204 generates a current based on this comparison and the filter 206 is part of a "third circuit" (claim 9) that generates a second frequency clock signal based on the current signal from the charge pump. A first circuit is formed at least in part by the input 104 that is also based on the result of the comparison (See Figure 16) and this causes changes in the ILOAD current (the second current signal) which as noted above causes changes in the output frequency, i.e. generates a second frequency clock. As noted above the ILOAD currents are varied which varies the current output of the V-to-I converter which causes the second frequency to be generated, i.e. a second clock is formed.

Claims 12-18 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Takla 5,978,425 (Takla) or record.

Figure 2 and the relevant text of Takla discloses a clock circuit having the pll or first clock generator composed of elements 218, 222, 246, 250 254 and 234. This pll clearly has a phase comparator that compares the reference or standard clock and the operating clock. Element 254 is a V-to-I converter that outputs a current to the current controlled oscillator 234 based on the above comparison. A first clock signal is generated by this loop. A second clock signal is generated by the loop that consists of elements 227, 229 and 230. Element 230 is a D/A converter that converts the current control signal to a

variable current signals that are applied to the current controlled oscillator 224 and thus forms a second clock generator circuit. Element 234 also forms a second current controlled oscillator for the second clock generator. The variable current signals clearly causes changes in the oscillation frequency of element 234. The top of column 6 of Takla clearly recites the range of variable current which sets forth a set range of frequency changes.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sha et al. 6,404,294 (Sha) in view of Applicant's Admitted prior art as represented by Figure 1 (AAPA).

Sha lacks the use of a divider connected between the reference clock source and the phase comparator. Such is commonly provided for so as to allow for a higher frequency reference clock to be used with the phase comparator and to allow for the reference clock to be selected or varied dependent on the selection of the division ratio. AAPA gives one example of this.

Thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a divider connected between the reference clock source and the phase comparator of Sha so as to allow the use of a higher frequency reference clock and to allow for the adjustment or selection of the reference frequency applied to the phase comparator as is clearly evident and taught by AAPA.

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sha et al. 6,404,294 (Sha).

Figures 7, 12 and 16, and the relevant text of Sha discloses a pll spread spectrum clock generator and method (See column 6, lines 15-25) having a phase comparator 202 that compares the reference clock signal (Sometimes referred to by applicant as a "standard clock signal".) to clock signal that is feedback (Sometimes referred to by applicant as an "operating clock signal".). Element 100 is a voltage controlled oscillator i.e. VCO that generates the signal that fed back to the phase comparator. The VCO of Sha has a V to I converter 112 that does the conversion of a voltage to a current. Element 110 is part of a variable current circuit that provides a fluctuating current signal "ILOAD". Note that the division ratio is changed to spread the spectrum this in turn causes the voltage input to the VCO to vary and since the control signal 104 that causes the current to vary is varied and this will cause a different current at the output of

Art Unit: 2817

the V to I converter and thus these changes will cause a change in the voltage at the input of the VCO which will result in a further change in these current signals as well as the final output frequency because of the feedback path. This forms part of the first circuit that generates a plurality of current signals by changing the current signals. This also forms part of variable current circuit and the circuitry 210 of Sha forms part of the control circuit that controls the variable current circuit. The internal circuitry to the divider determines the range of change of frequency of the clock for divider has a finite range of division. As recognized by Sha in column 4, around line 19 the signal output from the VCO is dependent at least in part on the changing current signals ILOAD. Thus the VCO like that of applicant also has a current controlled oscillator component. Note that the internal circuitry of the VCO of Sha forms the "second and third" circuits of claims like claim 9 for a plurality of current signals are generated, i.e. at least first and second current signals are generated. When the first current signal ILOAD is generated this as noted above causes a first clock signal or "operating clock signal" to be generated based on this signal. When the second current signal ILOAD is generated this as noted above causes a second clock signal or "operating clock signal" to be generated based on this signal. Note that the charge pump 204 clearly supplies an output signal based on the comparison made by the phase comparator in Sha. The VCO of Sha also is responsive to this charge pump as is clearly illustrated by Sha. Note that element 110' also forms a current D/A converter in that the digital signal is converted into an analog current signal ILOAD. As noted above the device of Sha is a spread spectrum clock wherein the frequency is spread over a range. Sha is silent on how far the range is. Claims like claim 22 broadly recite "M number of peaks" where M is an integer greater than 2. How far to spread the frequency is a result effective variable that determines the amount the noise is decreased at the "center" frequency of the clock. Thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to have select at least two peaks (M=2) as this would be selecting the frequency range that involves but routine skill in the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael B. Shingleton whose telephone number is (571)272-1770..


Art Unit: 2817

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal, can be reached on (571)272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MBS

February 9, 2005



Michael B Shingleton
Primary Examiner
GROUP ART UNIT 2817